





LIVYN

COLLECTION 2018-2019



BACL 40018



BACL 40052



AMCL 40136





AMCL 40137



BACL 40039



PUCL 40104

Discover your luxury vinyl floor

- 04 The looks you want, the comfort you need
- 06 Did you know vinyl could be so beautiful?
- 08 Create your own living space
- 10 Let us guide you to the perfect floor

Collection overview

- 12 Range overview planks and tiles
- 14 Types of structure, treatment, finishing and bevel
- 16 Discover the full Livyn collection

Installation

- 21 Install Quick-Step luxury vinyl on walls
- 22 Install your floor without hassle
- 23 Simply choose click or glue

Finishing

- 24 Finish perfectly

Cleaning

- 26 Keep your floor in top condition

The looks you want, the comfort you need



PUCL 40081

Quiet, strong and 100% waterproof

Enjoy your luxury vinyl floor for many years to come thanks to the sealed top layer with Stain and Scratch Guard technology. This layer ensures superior protection from scratches, stains, dirt and scuff marks. Moreover thanks to their excellent water resistance, our luxury vinyl floors are the perfect choice for every room, even bathrooms or kitchens. The water-repellent layer makes them super easy to clean. These warm, comfortable floors are a pleasure to walk on – even barefoot. Prefer to keep your shoes on? All Livyn floors are silent: you barely hear a thing.



A wide variety of beautiful, natural looks

The Quick-Step Livyn collection includes a wide range of natural-looking wood and stone designs, each with its own authentic character. The extra matt finish makes them nearly indistinguishable from real wood and tile flooring. For a perfect finish, we select the bevels and structures that match your favourite design.



Installed in 1-2-3

Livyn floors are thin and flexible, which makes them the ideal choice for installation over existing floors. You can even do it yourself; all you need is a knife to cut the floor boards! Livyn truly is the perfect solution to renovate a room.

The Uniclic® Multifit installation system is specially developed for Livyn floors. It ensures a worry-free installation, even in tight corners and under radiators.



How to install your Livyn floor

Installing a Livyn floor is very easy. Don't believe it? Let us help you with our installation videos at bit.ly/ytquickstep



Did you know vinyl could be so beautiful?

Inspired by nature, our luxury vinyl floors are nearly indistinguishable from real wood and tile flooring.

Whichever room, whichever style you prefer, Quick-Step has the right luxury vinyl solution for you. Each Livyn floor has its own unique look and feel. Our designers offer you a collection with a wide variety of possibilities: lively colours, beautiful patterns, edgy structures, amazing details,... It's only a matter of choosing your preferred kind of beauty.



Discover our entire range
on page 16 - 20



Create your own living space



More inspiration on
www.quick-step.co.uk

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!





BACL 40156



AMCL 40035



BACL 40158



BACL 40157

Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



BACL 40033

FLOOR EXPLORER

3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.




Why not give it a try?
Enter the FloorExplorer at
www.quick-step.co.uk

1 SELECT
A ROOM



2 CHOOSE
A COLOUR



3 DEFINE
YOUR STYLE



ROOM VIEWER

GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.



Try it out now!
Launch the RoomViewer at
www.quick-step.co.uk



DISCOVER YOUR PERFECT FLOOR ON WWW.QUICK-STEP.CO.UK

Range overview planks and tiles

	dimensions	thickness	bevels
PULSE CLICK Wear-resistant long and wide planks for a clicked installation	 151 × 21 cm	≐ 4,5 mm	↙ ⁴
PULSE CLICK⁺ Extra wear-resistant long and wide planks for a clicked installation	 151 × 21 cm	≐ 4,5 mm	↙ ⁴
PULSE GLUE⁺ Extra wear-resistant long and wide planks for a glued installation	 151,5 × 21,7 cm	≐ 2,5 mm	↙ ⁴
BALANCE CLICK Wear-resistant standard planks for a clicked installation	 125,1 × 18,7 cm	≐ 4,5 mm	↙ ⁴
BALANCE CLICK⁺ Extra wear-resistant standard planks for a clicked installation	 125,1 × 18,7 cm	≐ 4,5 mm	↙ ⁴
BALANCE GLUE⁺ Extra wear-resistant standard planks for a glued installation	 125,6 × 19,4 cm	≐ 2,5 mm	↙ ⁴
AMBIENT CLICK Wear-resistant rectangular tiles for a clicked installation	 130 × 32 cm	≐ 4,5 mm	↙ ⁴ / ↘ ⁴
AMBIENT CLICK⁺ Extra wear-resistant rectangular tiles for a clicked installation	 130 × 32 cm	≐ 4,5 mm	↙ ⁴ / ↘ ⁴
AMBIENT GLUE⁺ Extra wear-resistant rectangular tiles for a glued installation	 130,5 × 32,7 cm	≐ 2,5 mm	↙ ⁴ / ↘ ⁴



CLASS 32

For residential use. Normal daily use in ordinary living spaces.



Pulse/Balance/Ambient Click: commercial warranty on specific request. Contact your local sales representative.



CLASS 33

For commercial use. Extra wear-resistant floors for areas with higher usage.



Pulse/Balance/Ambient Click + and Glue+: commercial warranty on specific request: 5 to 15 years. Contact your local sales representative.

pack

installation

performance level


warranty

7 × 
= 2,220 m²



7 × 
= 2,220 m²



11 × 
= 3,616 m²




9 × 
= 2,105 m²



9 × 
= 2,105 m²




15 × 
= 3,655 m²



5 × ^{*}
= 2,080 m²




5 × ^{*}
= 2,080 m²



9 × ^{*}
= 3,841 m²



* 
Ambient 40136, 40139, 40140, 40141



The details make the difference

Each luxury vinyl floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



The icons indicate the specific design characteristics of every floor.

AMGP 40139

Structure



Elegant wood structure

A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.




Natural wood structure

A surface texture where the grain, knots and cracks that are visible in the design can also be felt in the surface structure. Just like real wood.



Intense wood structure

This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.



Stone structure

A surface texture that realistically displays the structure of a stone pattern.

Treatment



Brushed

A surface effect that gives the appearance of brushed wood. The brushed treatment adds depth and authenticity to a Livyn floor.



Saw cut

This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.

Finishing



Matt finish

A matt gloss giving the floor a very natural look.



Rustic bevel

Distinctive dark coloured bevel emphasising the rustic and reclaimed character of the floor.



Modern bevel

The bevel defines the plank edges resulting in a clean, modern look.



Nano bevel

Fine nano-beveled edges offer the look of a minimalistic, modern floor.

PULSE CLICK

PUCL

151 × 21 cm ≙ 4,5 mm

PULSE CLICK+

PUCP

151 × 21 cm ≙ 4,5 mm

PULSE GLUE+

PUGP

151,5 × 21,7 cm ≙ 2,5 mm



   
SEA BREEZE OAK LIGHT

PUCL40079 | PUCP40079 | PUGP40079



   
MORNING MIST PINE

PUCL40074 | PUCP40074 | PUGP40074



   
SAND STORM OAK WARM GREY

PUCL40083 | PUCP40083 | PUGP40083



   
AUTUMN OAK WARM GREY

PUCL40089 | PUCP40089 | PUGP40089



   
COTTON OAK WARM GREY

PUCL40105 | PUCP40105 | PUGP40105



   
COTTON OAK GREY WITH SAW CUTS

PUCL40106 | PUCP40106 | PUGP40106



   
SEA BREEZE OAK BEIGE

PUCL40080 | PUCP40080 | PUGP40080



   
COTTON OAK BEIGE

PUCL40103 | PUCP40103 | PUGP40103




   
AUTUMN OAK LIGHT NATURAL

PUCL40087 | PUCP40087 | PUGP40087



   
PURE OAK BLUSH

PUCL40097 | PUCP40097 | PUGP40097



   
PICNIC OAK OCHRE

PUCL40093 | PUCP40093 | PUGP40093



   
SEA BREEZE OAK NATURAL

PUCL40081 | PUCP40081 | PUGP40081



   
COTTON OAK NATURAL

PUCL40104 | PUCP40104 | PUGP40104



   
PICNIC OAK WARM NATURAL

PUCL40094 | PUCP40094 | PUGP40094



   
AUTUMN OAK HONEY

PUCL40088 | PUCP40088 | PUGP40088



   
PURE OAK HONEY

PUCL40098 | PUCP40098 | PUGP40098




SUNDOWN PINE

PUC140075 | PUCP40075 | PUGP40075



AUTUMN OAK BROWN

PUC140090 | PUCP40090 | PUGP40090



SAND STORM OAK BROWN

PUC140086 | PUCP40086 | PUGP40086



VINEYARD OAK BROWN

PUC140078 | PUCP40078 | PUGP40078




PUC1 40081
QUICK-STEP LIVYV FLOOR WITH PLANK VARIATION



OTHER VINYL FLOOR WITHOUT PLANK VARIATION

This design technique adds lifelike colour variations with shades and tones, enhancing the natural look of the floor.



Order your floor samples online

Curious to see what the floor of your choice would look like in reality?

How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.



BALANCE CLICK

BACL

125,1 × 18,7 cm ≙ 4,5 mm

BALANCE CLICK+

BACP

125,1 × 18,7 cm ≙ 4,5 mm


BALANCE GLUE+

BAGP

125,6 × 19,4 cm ≙ 2,5 mm




CANYON OAK LIGHT WITH SAW CUTS
BACL40128 | BACP40128 | BAGP40128



NEW



VELVET OAK LIGHT
BACL40157 | BACP40157 | BAGP40157




CANYON OAK BEIGE
BACL40038 | BACP40038 | BAGP40038



SILK OAK LIGHT
BACL40052 | BACP40052 | BAGP40052




CANYON OAK GREY WITH SAW CUTS
BACL40030 | BACP40030 | BAGP40030




NEW




VELVET OAK BEIGE
BACL40158 | BACP40158 | BAGP40158



DRIFT OAK BEIGE
BACL40018 | BACP40018 | BAGP40018




SELECT OAK LIGHT
BACL40032 | BACP40032 | BAGP40032




SILK OAK WARM NATURAL
BACL40130 | BACP40130 | BAGP40130



CLASSIC OAK NATURAL
BACL40023 | BACP40023 | BAGP40023



SELECT OAK NATURAL
BACL40033 | BACP40033 | BAGP40033



CANYON OAK NATURAL
BACL40039 | BACP40039 | BAGP40039



COTTAGE OAK NATURAL
BACL40025 | BACP40025 | BAGP40025




VINTAGE CHESTNUT NATURAL
BACL40029 | BACP40029 | BAGP40029



NEW




VICTORIAN OAK NATURAL
BACL40156 | BACP40156 | BAGP40156



NEW



VELVET OAK SAND
BACL40159 | BACP40159 | BAGP40159




 **CANYON OAK LIGHT BROWN WITH SAW CUTS**
BACL40031 | BACP40031 | BAGP40031



 **CANYON OAK DARK BROWN WITH SAW CUTS**
BACL40059 | BACP40059 | BAGP40059




 **CANYON OAK BROWN**
BACL40127 | BACP40127 | BAGP40127



 **VELVET OAK BROWN**
BACL40160 | BACP40160 | BAGP40160

NEW



 **SILK OAK DARK GREY**
BACL40060 | BACP40060 | BAGP40060



 **COTTAGE OAK DARK BROWN**
BACL40027 | BACP40027 | BAGP40027



Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.co.uk

AMBIENT CLICK

AMCL
130 × 32 cm ≙ 4,5 mm

AMBIENT CLICK+


AMCP
130 × 32 cm ≙ 4,5 mm


AMBIENT GLUE+

AMGP
130,5 × 32,7 cm ≙ 2,5 mm



   **CLEAN**
MARBLE CARRARA WHITE
AMCL40136 | AMCP40136 | AMGP40136



   **CLEAN**
MINIMAL LIGHT GREY
AMCL40139 | AMCP40139 | AMGP40139




   **CLEAN**
MINIMAL MEDIUM GREY
AMCL40140 | AMCP40140 | AMGP40140




   **CLEAN**
MINIMAL TAUPE
AMCL40141 | AMCP40141 | AMGP40141




   **VIVID**
CREAM TRAVERTIN
AMCL40046 | AMCP40046 | AMGP40046




   **VIVID**
LIGHT GREY TRAVERTIN
AMCL40047 | AMCP40047 | AMGP40047



   **CLEAN**
VIBRANT SAND
AMCL40137 | AMCP40137 | AMGP40137





   **CLEAN**
VIBRANT MEDIUM GREY
AMCL40138 | AMCP40138 | AMGP40138






   **VIVID**
GREY SLATE
AMCL40034 | AMCP40034 | AMGP40034



   **VIVID**
BLACK SLATE
AMCL40035 | AMCP40035 | AMGP40035

Structure:  Elegant wood structure  Natural wood structure  Intense wood structure  Stone structure

Treatment:  Brushed  Saw cut | **Finishing:**  Matt finish | **Bevels:**  Rustic bevel  Modern bevel  Nano bevel

Going vertical

Install Quick-Step luxury vinyl on walls



Did you know that Quick-Step luxury vinyl flooring can be applied to wall surfaces as well? This makes it possible to extend the aesthetics of your floor to one or more walls of your interior and creates a unique and stylish sense of space. It's even possible to install Quick-Step Livyn in the shower!

4 golden rules

- 1 Use glue-down Livyn floors:** pick your favourite from our Pulse, Balance or Ambient Glue+ collection.
- 2 On a wall:** start from a flat and dry surface and use an appropriate adhesive (e.g. Ultrabond ECO MS 4LVT/wall,...).
- 3 In a shower:** start from a flat, dry, and vapour-proof surface. Use a joint sealer (e.g. Mapecoat 4LVT,...) on any wall exposed to water.
- 4 Installation:** always read the specific installation instructions at www.quick-step.co.uk

STEP 1 INSTALLATION

Install your floor without hassle!

1 Easy installation thanks to the drop-down click system

Our Uniclic® Multifit click system is developed especially for Livyn floors, making them fast and easy to install. The improved drop-down technology provides extra strength thanks to the vertical and horizontal locking.



2 Install Livyn on underfloor heating and cooling

Thanks to the excellent thermal conductivity, Livyn floors are suitable for installation over standard underfloor heating and cooling.

For more information:
visit www.quick-step.co.uk



3 Renovation friendly

Livyn floors are thin and flexible so they can easily be laid on top of existing, level floor coverings. This will save you a lot of removal effort and let you renovate your space without any hassle.



Installation tools

Install your vinyl floor in an easy and professional way with the handy Quick-Step Livyn installation tool and knife.



QSVSTARTKIT

Quick-Step® STARTERSKIT

Contents: Quick-Step knife, Installation tool,
Clean for Livyn (750 ml)



QSVKNIFE / NEVKNIFEREFILL

Quick-Step® KNIFE

Quick-Step®
REFILL
1 PC = 40 blades



QSVTOOL

Quick-Step® LIVYN INSTALLATION TOOL



Quick-Step Livyn floors can be installed in two different ways: floating or glued down.
For a perfect installation, check out the installation videos on bit.ly/ytquickstep



Simply choose click or glue



CLICK

Installing your Livyn floor is easy thanks to the patented Uniclic® Multifit for Livyn click system. A good underlay has a major impact on the final look, quality and comfort of your Quick-Step Livyn floor. Use a Basic underlay for all common installations. For situations with high temperature variations (e.g. conservatory), use the Livyn Sunheat underlay.


- A Quick-Step underlay levels and helps to prevent small irregularities.
- It provides excellent acoustic insulation and reduces creaking noises when you walk across the floor.
- Suitable for floor heating and/or cooling.



Quick-Step® **BASIC LIVYN UNDERLAY**

QSVUDLBASIC15

Contents:
1 roll = 15 m²
Thickness: 1 mm



Quick-Step® **SUNHEAT UNDERLAY**

QSVUDLSH10

Contents:
1 roll = 10 m²
Thickness: 1,5 mm



GLUE

The Quick-Step Livyn Glue+ ranges should also be glued down. In conjunction with the glue specialist Soudal, Quick-Step developed a high quality glue especially for Livyn.

- Spreads easily and guarantees fast adhesion.
- Damp-proof.
- Suitable for floor heating and/or cooling.



Quick-Step® **LIVYN GLUE**

15kg: QSVGLUE15 = for +/- 50m²
6kg: QSVGLUE6 = for +/- 20m²



Quick-Step® **LIVYN TROWEL**

QSVA2

The Livyn glue trowel ensures the perfect glue consumption per m². To be ordered separately.



For the best results, whether clicking or gluing, always start with a level subfloor. Make sure it's completely dry and free of dust and grease. **For more advice about preparing your subfloor, visit www.quick-step.co.uk or your local Quick-Step retailer.**

STEP 2 FINISHING

Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

Skirting boards

Quick-Step® LIVYN SKIRTING

2000 × 48 × 12 mm / 2000 × 55 × 12 mm




Quick-Step® FLEXIBLE PAINTABLE SKIRTING

40 × 14 mm (can be cut at the desired length)



Quick-Step® LIVYN PAINTABLE SKIRTING

2400 × 55 × 8 mm



QSVSKRA(-): 2000 × 48 × 12 mm. Available for all Balance and Ambient floors

QSVSKRB(-): 2000 × 55 × 12 mm. Available for all Pulse floors

Absolutely perfectly matching, in colour and structure, with your Quick-Step Livyn floor. Water- and wear-resistant, for a lifetime of pleasure.

Aluminium finishing profiles

Quick-Step® LIVYN EXPANSION PROFILE

2000 × 7 × 24 mm

QSVEXPSILV (for residential use*)

2000 × 5 × 26 mm

QSVEXPCOMSILV (for commercial use**)



Quick-Step® LIVYN ADAPTER PROFILE

2000 × 7 × 26 mm

QSVADPSILV (for residential use*)

2000 × 7 × 24 mm

QSVADPCOMSILV (for commercial use**)



Quick-Step® LIVYN END PROFILE

2000 × 7 × 18 mm

QSVENPSILV (for residential use*)

2000 × 7 × 18 mm

QSVENPCOMSILV (for commercial use**)



Quick-Step® MULTIFUNCTIONAL PROFILE

1860 × 47 × 12.3 mm

Available in silver, gold or bronze. Bridges height differences up to 12.3 mm and can be used as an adapter or expansion profile.



Quick-Step® ONE4ALL GLUE

290 ml QSGLU290

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.

Stairs and steps



Always glue the floor panels on the stairs of your staircase.

Quick-Step®
**STAIR PROFILE
GLUE INNER CORNER**
2000 × 25 × 25 mm



Quick-Step®
**STAIR PROFILE
GLUE OUTER CORNER**
2000 × 26 × 40 mm



Quick-Step®
**STAIR PROFILE
CLICK**
2000 × 15 × 30 mm



Finishing tools

Quick-Step®
KIT
310ml QSKIT(-)



Elastic, acrylic-based paste.
Use it to fill gaps in a matching
colour.

Quick-Step®
HYDROKIT
310 ml QSKITTRANSP



The Quick-Step Hydrokit
is a transparent silicone for
an invisible and waterproof
finishing.

Quick-Step®
RADIATOR COVER
Contents: 2 radiator covers per package
QSRCINOX15/22



The pipe covers (in
stainless steel) allow you
to finish heating elements
and pipes. Available in
two diameters: 15 mm or
22 mm.

STEP 3
CLEANING

Keep your floor in top condition




BACL 40039



Quick-Step®
CLEAN FOR LIVYN
QSVCLEANING750

Specifically developed for Livyn, Quick-Step Livyn Clean takes care of the daily maintenance of your floor. It protects the special top layer that helps to preserve original beauty and natural matt look of your floor.



We invest in energy-efficient production



We generate energy out of internal waste.
The Livyn production plant uses this as its main source of power.



We continue to minimize our water use. 97% of our water supply for production is recycled water and more than 1000 m³ rainwater is reused.

We use carefully screened raw materials



Quick-Step Livyn does not contain any harmful substances.
We only use phthalate free plasticizers.*



Our internal waste is 100% recycled.

Quick-Step livyn is a safe and extremely durable floor



Thanks to the perfectly sealed surface, the emission of volatile organic compounds is over 50 times lower than the most stringent European norm.



Thanks to the Scratch & Stain Guard technology, dirt can just be wiped off the floor, keeping the floor hygienic.
No aggressive cleaning agents needed.

* The same phthalates can be used in PVC for kids toys or for food purposes.

LIVYN |

COLLECTION 2018-2019



ROOM
VIEWER

Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice.

Try out your options on www.quick-step.co.uk

Your Quick-Step® point of sale



www.quick-step.co.uk

FOLLOW US ON

www.facebook.com/QuickStepFloors www.youtube.com/quickstepfloor

plus.google.com/+quickstep www.pinterest.com/quickstepfloor [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielbeke, Belgium, Europe. COVERPHOTO BAEL 40159.
Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.
Content © 2018-2019 by UNILIN bvba – division Flooring.
All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. Print ref. 018 125 01 • 22 EN